

Windshield Wiper Questionnaire

New Applications • Marine

* indicates a required field

Contact Name* Email*

Company* Phone*

Project Name* Fax

Projected Order Volume Address

Power Supply*

12 V DC

24 V DC

Other

Motor Location

Above windshield

Below windshield

No preference

Electrical Options

Dynamic park w/ 5 wires

Coast to park w/3 wires

Switch Options

No switch required

Help me choose

Washer System*

1.5 L 10 L

4.25 L No washer system

Is the pivot shaft mounted through the glass?

Yes

No

Bulkhead Thickness

Total thickness of the bulkhead material between the interior and exterior of the cab


Sweep Pattern Options

Radial



A radial sweep pattern is arced, using one arm for each blade, and is common for glass that is wider than it is tall.

Pantograph



A pantograph sweep pattern uses two linked arms attached to one blade which stays parallel to the side of the glass. It is more common for glass that is narrower than it is tall.

No preference

Email completed form and any supporting documents (3D model or photos) to info@amequipment.com



Only fill out for the pieces of windshield glass relevant to your boat


STARBOARD WINDOW

Left as viewed from outside vehicle

CENTER WINDOW


PORT WINDOW


Right as viewed from outside vehicle



Glass Dimensions

From inside edges of molding








Pivot Shaft Distances


Center of pivot shaft to inside edge of molding

Note: if pivot shaft is at top of window, make measurements to top edge and top right











Window Corner Angles





Email completed form and any supporting documents (3D model or photos) to info@amequipment.com



Park Position

Which most closely resembles your wiper blade park position, as viewed from outside vehicle? Mark the appropriate response for each piece of windshield glass your boat has.

